

CUBE

series



Award

INDEX PAGE

* CUBE Info	03
* Rectangular	04-07
* Executive	08-13
* Meeting/Discussion	14-17
* Specification	18-22

CUBE
series

SPACE . ACTIVE . EASY . CONNECTION

CUBE specification :

- Table top : 25mm melamine chipboard c/w 2mm ABS edging
- Grommet cap : Dia 60mm plastic cover
- Leg structure : 1.6mm hollow section c/w epoxy coating
- Horizontal bar : 1.6mm hollow section c/w epoxy coating
- Modesty panel : 1.2mm cold roll sheet (CR) c/w epoxy coating
- Cabinet : 18mm melamine chipboard c/w 2mm ABS edging
(carcass , shelf and door / drawer)





Table top corners with sharp edges?
Standard CUBE table top covered with 2mm ABS edging to prevent injury.



How to adjust cabinet height if floor is not level?
CUBE cabinet is equipped with an adjustable glide. Furthermore, it can be adjusted from inside the cabinet by using an Allen key.



What is CUBE metal finishing?
CUBE metal part comes with a powder-coated finish (not spray); the colour is longer lasting and prevents rusting.




I don't have installation knowledge?
Not a huge problem because the CUBE top comes with a pre-punch hole with nuts to make your installation easier. By using this part, it can prevent the table top from getting damaged even if reinstalled multiple times. All you need is a screwdriver and an allen key.



CUBE warranty ?
The CUBE product comes with a maximum 10-year warranty (manufacturing defect).



My power supply is on the floor. How to drag wire to table top?
CUBE table top is already equipped with grommet capping for tidy up wire flow. Standard CUBE table top accessories.



Why no handle?
CUBE cabinet is designed with a modern look, so handleless creates an exclusive feel.



Colour matching?
Yes, a combination of coimbra and white to create vibrant environment.



Where is the caster?
We call this a hidden caster.



R3CTANGULAR

"RECTANGULAR" - the basic shape of all types of workstations. Easy to arrange & look simple.



Easy to build a free standing desk.
Just need three compartments: table top, horizontal bar & a CUBE leg.




Teamwork & collaborative






A simple combination creating more storage and large space. Combination "CUBE" rectangular set with side cabinet.



EX3CUTIVE

"EXECUTIVE" level has its own personal mood. We design with an exclusive feel to create a work mood.



Flexibility of the **combination** gives you efficient workspace.



A **large and comfortable** workplace especially designed for the decision maker






CUBE provides solutions to design workspace according to the needs of organisational structures.



Combination "CUBE" L-shape set with sliding-door low cabinet, making it look like a proper workstation.



Low back cabinet in a row also an option to fill your room with cabinets. By using a sliding door, it will not interfere with the seating space when the door is opened.




Customise your own style to suit your individual character.



MEETING & DISCUSSION

"COMFORTABLE" is one of the main factors to ensure a long discussion session.

The 'CUBE' meeting set has a **variety** of dimensions to choose from depending on the pax quantity you need.




Rectangular - shaped meeting desk looks nice and simple, but is equipped with all accessories needed in a formal meeting, such as a power box, cable riser and perforated panel, making it with your own style in mind.



If you feel the panel disturbs leg space, you can choose your meeting table without a **perforated panel**.




Simple meeting table that can have a BIG impact on performance.



Need power at your meeting table? Not a problem as the CUBE meeting table comes with a console box.

ADDITIONAL INFO:




QUANTITY PAX PER TABLE

1800x900 = 6 pax
 2400x1200 = 8 pax
 3600x1200 = 12 pax
 4800x1350 = 14 pax



Either you use a drum leg or cross; **the height** will be the same as a cube workstation, so no need to adjust the chair height to use this table.


The four metal legs look **classic and stable**. Suitable for those who need a simple discussion desk.



QUANTITY PAX PER TABLE

Dia 900 = 3-4 pax
Dia 1200 = 4-5 pax

Serious discussion session with a modern look **drum leg** creates a professional feel.



SPECIFICATION

"CUBE" set comes with all you need; just choose what you like and combine it.

R3C TANGULAR



a)



b)



c)



d)



e)



f)



g)

a) Free standing table w/o modesty panel

CR126: 1200w x 600d x 750h (mm)
 CR127: 1200w x 750d x 750h (mm)
 CR157: 1500w x 750d x 750h (mm)
 CR187: 1800w x 750d x 750h (mm)

b) Free standing table c/w modesty panel

CR-M-127: 1200w x 750d x 750h (mm)
 CR-M-157: 1500w x 750d x 750h (mm)
 CR-M-189: 1800w x 900d x 750h (mm)

c) Free standing table c/w modesty panel and side return

CR/SR-M-157/96 : 1500/750w x 900/600d x 750h (mm)
 CR/SR-M-157/106 : 1500/750w x 1050/600d x 750h (mm)
 CR/SR-M-189/96 : 1800/900w x 900/600d x 750h (mm)
 CR/SR-M-189/106 : 1800/900w x 1050/600d x 750h (mm)
 CR/SR-M-189/126 : 1800/900w x 1200/600d x 750h (mm)

d) Free standing table c/w fixed pedestal

CR/SR-M-157/96-P2+1 : 1500/750w x 900/600d x 750h (mm)
 CR/SR-M-157/106-P2+1 : 1500/750w x 1050/600d x 750h (mm)
 CR/SR-M-189/96-P2+1 : 1800/900w x 900/600d x 750h (mm)
 CR/SR-M-189/106-P2+1 : 1800/900w x 1050/600d x 750h (mm)
 CR/SR-M-189/126-P2+1 : 1800/900w x 1200/600d x 750h (mm)

CR/SR-M-157/96-P4D : 1500/750w x 900/600d x 750h (mm)
 CR/SR-M-157/106-P4D : 1500/750w x 1050/600d x 750h (mm)
 CR/SR-M-189/96-P4D : 1800/900w x 900/600d x 750h (mm)
 CR/SR-M-189/106-P4D : 1800/900w x 1050/600d x 750h (mm)
 CR/SR-M-189/126-P4D : 1800/900w x 1200/600d x 750h (mm)

e) Free standing table c/w side open shelf cabinet

CR/SR-M-157/96-OC : 1500/750w x 900/600d x 750h (mm)
 CR/SR-M-157/106-OC : 1500/750w x 1050/600d x 750h (mm)
 CR/SR-M-189/96-OC : 1800/900w x 900/600d x 750h (mm)
 CR/SR-M-189/106-OC : 1800/900w x 1050/600d x 750h (mm)
 CR/SR-M-189/126-OC : 1800/900w x 1200/600d x 750h (mm)

f) Free standing table c/w side sliding cabinet

CR/SR-M-157/96-SLC : 1500/750w x 900/600d x 750h (mm)
 CR/SR-M-157/106-SLC : 1500/750w x 1050/600d x 750h (mm)
 CR/SR-M-189/96-SLC : 1800/900w x 900/600d x 750h (mm)
 CR/SR-M-189/106-SLC : 1800/900w x 1050/600d x 750h (mm)
 CR/SR-M-189/126-SLC : 1800/900w x 1200/600d x 750h (mm)

g) Free standing table c/w dual side cabinet

CR/SC-M-157/124-DC : 1500/750w x 1200/450d x 750h (mm)
 CR/SC-M-189/124-DC : 1800/900w x 1200/450d x 750h (mm)

Note :

P2+1 = 2 drawer 1 filing pedestal / 4D = 4 drawer pedestal

STORAGE



a)



b)



c)



d)



e)



f)

MOBILE PEDestal



g)

a) Low sliding door cabinet - 2 tier

CS/SLC2-9: 900w x 450d x 900h (mm)

b) Low swing door cabinet - 2 tier

CS/SC2-9: 900w x 450d x 900h (mm)

c) Medium swing door cabinet - 3 tier

CS/SC3-12: 900w x 450d x 1200h (mm)

d) Medium swing door cabinet - 4 tier

CS/SC4-16: 900w x 450d x 1650h (mm)

e) High swing door cabinet - 5 tier

CS/SC5-21: 900w x 450d x 2100h (mm)

f) Half Open swing door cabinet - 5 tier

CS/OSC5-21: 900w x 450d x 2100h (mm)

g) mobile pedestal

-2 drawer 1 filing:
 CS/MP-2D1F: 420w x 480d x 620h (mm)

-3 drawer :
 CS/MP-3D: 420w x 480d x 600h (mm)

Note :

2D1F = 2 drawer 1 filing / 3D = 3 drawer

EX3CUTIVE



a)



b)



c)



d)



e)



f)

a) Executive table c/w side cabinet

CR21 SET: 2100w x 900d x 750h (mm)
 CR24 SET: 2400w x 900d x 750h (mm)

Executive side cabinet

1800w x 450d x 600h (mm)

b) L shaped free standing table

CL-M-156/106: 1500/600w x 1050/600d x 750h (mm)
 CL-M-187/106: 1800/750w x 1050/600d x 750h (mm)

c) L shaped free standing table c/w side return

CL/SR-M-1510/66: 1500/1050w x 600/600d x 750h (mm)
 CL/SR-M-1810/66: 1800/1050w x 600/600d x 750h (mm)

d) L shape free standing table c/w fixed pedestal

-Desk : 1500w/600d x 1050w/600d x 750h (mm)

CL/SR-M-156/106/96-P2+1 : 900w x 600d x 25thk (mm)
 CL/SR-M-156/106/106-P2+1 : 1050w x 600d x 25thk (mm)
 CL/SR-M-156/106/126-P2+1 : 1200w x 600d x 25thk (mm)
 CL/SR-M-156/106/96-P4D : 900w x 600d x 25thk (mm)
 CL/SR-M-156/106/106-P4D : 1050w x 600d x 25thk (mm)
 CL/SR-M-156/106/126-P4D : 1200w x 600d x 25thk (mm)

-Desk : 1800w/750d x 1050w/600d x 750h (mm)

CL/SR-M-187/106/96-P2+1 : 900w x 600d x 25thk (mm)
 CL/SR-M-187/106/106-P2+1 : 1050w x 600d x 25thk (mm)
 CL/SR-M-187/106/126-P2+1 : 1200w x 600d x 25thk (mm)
 CL/SR-M-187/106/96-P4D : 900w x 600d x 25thk (mm)
 CL/SR-M-187/106/106-P4D : 1050w x 600d x 25thk (mm)
 CL/SR-M-187/106/126-P4D : 1200w x 600d x 25thk (mm)

e) L shape free standing table c/w side open shelf cabinet

-Desk : 1500w/600d x 1050w/600d x 750h (mm)

CL/SR-M-156/106/96-OC : 900w x 600d x 25thk (mm)
 CL/SR-M-156/106/106-OC : 1050w x 600d x 25thk (mm)
 CL/SR-M-156/106/126-OC : 1200w x 600d x 25thk (mm)

-Desk : 1800w/750d x 1050w/600d x 750h (mm)

CL/SR-M-187/106/96-OC : 900w x 600d x 25thk (mm)
 CL/SR-M-187/106/106-OC : 1050w x 600d x 25thk (mm)
 CL/SR-M-187/106/126-OC : 1200w x 600d x 25thk (mm)

f) L shape free standing table c/w side sliding cabinet

-Desk : 1500w/600d x 1050w/600d x 750h (mm)

CL/SR-M-156/106/96-SLC : 900w x 600d x 25thk (mm)
 CL/SR-M-156/106/106-SLC : 1050w x 600d x 25thk (mm)
 CL/SR-M-156/106/126-SLC : 1200w x 600d x 25thk (mm)

-Desk : 1800w/750d x 1050w/600d x 750h (mm)

CL/SR-M-187/106/96-SLC : 900w x 600d x 25thk (mm)
 CL/SR-M-187/106/106-SLC : 1050w x 600d x 25thk (mm)
 CL/SR-M-187/106/126-SLC : 1200w x 600d x 25thk (mm)

MEETING & DISCUSSION TABLE



a)



b)



c)



d)

a) Meeting Table c/w metal socket box (w/o modesty panel)

CM-189: 1800w x 900d x 750h (mm)
 CM-2412: 2400w x 1200d x 750h (mm)
 CM-3612: 3600w x 1200d x 750h (mm)
 CM-4813: 4800w x 1350d x 750h (mm)

b) Meeting Table c/w metal socket box & modesty panel

CM-M-189: 1800w x 900d x 750h (mm)
 CM-M-2412: 2400w x 1200d x 750h (mm)
 CM-M-3612: 3600w x 1200d x 750h (mm)
 CM-M-4813: 4800w x 1350d x 750h (mm)

c) Round Discussion - Drum

CD-D-9 : 900dia x 750h (mm)
 CD-D-12: 1200dia x 750h (mm)

d) Round Discussion - Cross

CD-C-9: 900dia x 750h (mm)
 CD-C-12: 1200dia x 750h (mm)

